

RESIDENTIAL




Jl. Muara Karang Blok L 9 Timur No 8 Pluit
Jakarta Utara 14450, Jakarta Utara 14450 DKI
Jakarta Indonesia
(021) 6679325
customer.care@niagara.co.id

RESIDENTIAL WATER SOLUTION

Solusi air minum untuk kehidupan sehari-hari.

RESIDENTIAL NIAGARA DRINKING MACHINE



Water Flow Filtered Water RO Water UV Treated Water Distribution Line

Seri ini merupakan solusi lengkap sistem pengolahan air untuk kebutuhan hunian. Tersedia dalam beberapa tipe unit yang dirancang untuk fleksibilitas pemasangan dan penggunaan. Sistem ini aman dan andal, serta dapat digunakan untuk kebutuhan air minum rumah tangga, komersial ringan, hingga aplikasi lainnya.

Residential Applications

 Hunian

 Apartemen

 Office

◦ Safety

Sistem filtrasi air yang aman dan andal untuk kebutuhan hunian.

◦ Lifespan & Cycle Life

Didukung komponen berkualitas dan layanan purna jual yang berkelanjutan.

◦ Smart Management & Integration

Mendukung berbagai sumber air: PAM, sumur, dan tangki penyimpanan.

◦ Ease of Installation & Scalability

Mudah dipasang dan fleksibel untuk pengembangan sistem sesuai kebutuhan.

◦ Easy Maintenance


Penggantian filter dilakukan dengan mudah dan terjadwal.



Spesifikasi Niagara UNG 109

Model	UNG-109
Purification System	1. Filter Cartridge 2. Active Carbon 3. Sediment Filter 4. RO Membrane 5. Taste Odor Carbon
Production Capacity	50 GPD / 190 liter per day (24 hours)
Electrical	52 watt
Storage	17 liter
Dimension	36 × 25 × 46 cm
Inlet Requirement	1/2" × 1/4" selang LLPDE
Output	1 pc kran bottle
Water Temperature	Hot Water = 70° – 85° C Cold Water = 4° – 10° C

COMPACT SYSTEM RESIDENTIAL WATER FILTRATION



Fitur Utama :

- 

3 Stage RO Filtrations
- 

In Tank UV Sterilization
- 

Material Antri Karat
- 

Hemat Listrik




NIAGARA DRINKING MACHINE UNG 109



Spesifikasi Niagara 109

Model	UNG-CT1000
Purification System	RO System : PP Filter GAC Filter CTO Filter Reverse Osmosis Membrane Post Carbon Filter
Production Capacity	50 GPD / 190 liter per day (24 hours)
Electrical	110 / 220 VAC
Storage	50 / 75 Gallon per Day (GPD)
Dimension	D 30 × W 24 × H 40 cm
Water Temperature	Warm

COMPACT SYSTEM RESIDENTIAL WATER FILTRATION



Fitur Utama :

- 

3 Stage RO Filtrations
- 

In Tank UV Sterilization
- 

Material Antri Karat
- 

Hemat Listrik



NIAGARA DRINKING MACHINE UNG CT 1000