

RESIDENTIAL




Jl. Muara Karang Blok L 9 Timur No 8 Pluit
Jakarta Utara 14450, Jakarta Utara 14450 DKI
Jakarta Indonesia
(021) 6679325
customer.care@niagara.co.id

RESIDENTIAL WATER SOLUTION

Solusi air minum untuk kehidupan sehari-hari.

RESIDENTIAL NIAGARA DRINKING MACHINE



Water Flow Filtered Water RO Water UV Treated Water Distribution Line

Seri ini merupakan solusi lengkap sistem pengolahan air untuk kebutuhan hunian. Tersedia dalam beberapa tipe unit yang dirancang untuk fleksibilitas pemasangan dan penggunaan. Sistem ini aman dan andal, serta dapat digunakan untuk kebutuhan air minum rumah tangga, komersial ringan, hingga aplikasi lainnya.

Residential Applications

 Hunian

 Apartemen

 Office

◦ Safety

Sistem filtrasi air yang aman dan andal untuk kebutuhan hunian.

◦ Lifespan & Cycle Life

Didukung komponen berkualitas dan layanan purna jual yang berkelanjutan.

◦ Smart Management & Integration

Mendukung berbagai sumber air: PAM, sumur, dan tangki penyimpanan.

◦ Ease of Installation & Scalability


Mudah dipasang dan fleksibel untuk pengembangan sistem sesuai kebutuhan.

◦ Easy Maintenance

Penggantian filter dilakukan dengan mudah dan terjadwal.



COMPACT SYSTEM RESIDENTIAL WATER FILTRATION



Spesifikasi Niagara Residential RO System

Model	UNG-125RO 50GPD	UNG-125RO 75GPD	UNG-125RO 100GPD
System	RO System : 1. Front Filter 10" 2. Active Carbon 10" 3. Sedimen Filter 10" 4. RO Membran 50 GPD 5. Carbon Akhir Dilengkapi RO Pump dan Pressure Tank 10G	RO System : 1. Front Filter 10" 2. Active Carbon 10" 3. Sedimen Filter 10" 4. RO Membran 75 GPD 5. Carbon Akhir Dilengkapi RO Pump dan Pressure Tank 10G	RO System : 1. Front Filter 10" 2. Active Carbon 10" 3. Sedimen Filter 10" 4. RO Membran 100 GPD 5. Carbon Akhir Dilengkapi RO Pump dan Pressure Tank 10G
Production Capacity	Up To 50 GPD (galon per day 24 jam) / 190 liter / hari / 24 jam	Up To 75 GPD (galon per day 24 jam) / 280 liter / hari / 24 jam	Up To 100 GPD (galon per day 24 jam) / 380 liter / hari / 24 jam
Water Temperature	Ambient Temp	Ambient Temp	Ambient Temp
Output	1 Output	1 Output	1 Output
Fitur	Metal coating frame, Undersink unit	Metal coating frame, Undersink unit	Metal coating frame, Undersink unit
Power Supply	50 W	50 W	50 W

Fitur Utama :

- 

3 Stage RO Filtrations
- 

In Tank UV Sterilization
- 

Material Antri Karat
- 

Hemat Listrik



NIAGARA DRINKING MACHINE Residential RO System UNG Series