

## RESIDENTIAL




Jl. Muara Karang Blok L 9 Timur No 8 Pluit  
Jakarta Utara 14450, Jakarta Utara 14450 DKI  
Jakarta Indonesia  
(021) 6679325  
[customer.care@niagara.co.id](mailto:customer.care@niagara.co.id)

# RESIDENTIAL POINT OF ENTRY WHOLE HOUSE WATER FILTER

Solusi filtrasi air untuk seluruh instalasi rumah



## RESIDENTIAL POINT OF ENTRY WHOLE HOUSE FILTER



Water Flow    Filtered Water    RO Water    UV Treated Water    Distribution Line

Seri ini merupakan solusi lengkap sistem pengolahan air untuk kebutuhan hunian. Tersedia dalam beberapa tipe unit yang dirancang untuk fleksibilitas pemasangan dan penggunaan. Sistem ini aman dan andal, serta dapat digunakan untuk kebutuhan air minum rumah tangga, komersial ringan, hingga aplikasi lainnya.

### Residential Applications

 Hunian

 Apartemen

 Office

#### ◦ Safety

Sistem filtrasi air yang aman dan andal untuk kebutuhan hunian.

#### ◦ Lifespan & Cycle Life

Didukung komponen berkualitas dan layanan purna jual yang berkelanjutan.

#### ◦ Smart Management & Integration

Mendukung berbagai sumber air: PAM, sumur, dan tangki penyimpanan.

#### ◦ Ease of Installation & Scalability

Mudah dipasang dan fleksibel untuk pengembangan sistem sesuai kebutuhan.

#### ◦ Easy Maintenance


Penggantian filter dilakukan dengan mudah dan terjadwal.



## Spesifikasi NIAGARA UNG Manual

| Model               | UNG-50MF                                                                                | UNG-70MF                                                                                | UNG-100MF                                                                               |
|---------------------|-----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| Media Filter        | 1. Multimedia Filter<br>2. Active Carbon<br>3. Resin Softener<br>4. Manganese Greensand | 1. Multimedia Filter<br>2. Active Carbon<br>3. Resin Softener<br>4. Manganese Greensand | 1. Multimedia Filter<br>2. Active Carbon<br>3. Resin Softener<br>4. Manganese Greensand |
| Material            | FRP                                                                                     | FRP                                                                                     | FRP                                                                                     |
| Production Capacity | 500 ~ 2000 liter                                                                        | 500 ~ 2000 liter                                                                        | 500 ~ 2000 liter                                                                        |
| System              | Manual Backwash                                                                         | Manual Backwash                                                                         | Manual Backwash                                                                         |
| Ukuran              | 10 x 54"                                                                                | 13 x 54"                                                                                | 14 x 65"                                                                                |
| Inlet / Outlet      | 1"                                                                                      | 1"                                                                                      | 1"                                                                                      |
| City Water Issues   | Keruh<br>Berwarna<br>Besi<br>Hardness                                                   | Keruh<br>Berwarna<br>Besi<br>Hardness                                                   | Keruh<br>Berwarna<br>Besi<br>Hardness                                                   |

## COMPACT SYSTEM RESIDENTIAL WATER FILTRATION



### Fitur Utama :

- Automatic Backwash System
- Multi Stage Filtrations Media
- FRP Tank Anti Karat & Tahan Tekanan
- Mengurangi Bau, Warna dan kekeruhan Air
- Mudah Perawatan & dan Operasional Efisien



## POINT OF ENTRY WHOLE HOUSE FILTER NIAGARA UNG MANUAL






## Spesifikasi NIAGARA UNG Automatic

| Model               | UNG-50AF                                 | UNG-70AF                                 | UNG-100AF                                |
|---------------------|------------------------------------------|------------------------------------------|------------------------------------------|
| Media Filter        | 1. Multimedia Filter<br>2. Active Carbon | 1. Multimedia Filter<br>2. Active Carbon | 1. Multimedia Filter<br>2. Active Carbon |
| Material            | FRP                                      | FRP                                      | FRP                                      |
| Production Capacity | 500 ~ 2000 liter                         | 500 ~ 2000 liter                         | 500 ~ 2000 liter                         |
| System              | Automatic Backwash                       | Automatic Backwash                       | Automatic Backwash                       |
| Ukuran              | 10 x 54"                                 | 13 x 54"                                 | 14 x 65"                                 |
| Inlet / Outlet      | 1                                        | 1                                        | 1                                        |
| City Water Issues   | - Keruh<br>- Berwarna<br>- Berbau        | - Keruh<br>- Berwarna<br>- Berbau        | - Keruh<br>- Berwarna<br>- Berbau        |

## COMPACT SYSTEM RESIDENTIAL WATER FILTRATION



### Fitur Utama :

-  Automatic Backwash System
-  Multi Stage Filtrations Media
-  FRP Tank Anti Karat & Tahan Tekanan
-  Mengurangi Bau, Warna dan kekeruhan Air
-  Mudah Perawatan & dan Operasional Efisien




## POINT OF ENTRY WHOLE HOUSE FILTER NIAGARA UNG AUTOMATIC

# RESIDENTIAL WATER SOLUTION

Solusi air minum untuk kehidupan sehari-hari.

## RESIDENTIAL NIAGARA DRINKING MACHINE



**Water Flow   Filtered Water RO Water   UV Treated Water   Distribution Line**

Seri ini merupakan solusi lengkap sistem pengolahan air untuk kebutuhan hunian. Tersedia dalam beberapa tipe unit yang dirancang untuk fleksibilitas pemasangan dan penggunaan. Sistem ini aman dan andal, serta dapat digunakan untuk kebutuhan air minum rumah tangga, komersial ringan, hingga aplikasi lainnya.

### Residential Applications

 **Hunian**

 **Apartemen**

 **Office**

- **Safety**

Sistem filtrasi air yang aman dan andal untuk kebutuhan hunian.

- **Lifespan & Cycle Life**

Didukung komponen berkualitas dan layanan purna jual yang berkelanjutan.

- **Smart Management & Integration**

Mendukung berbagai sumber air: PAM, sumur, dan tangki penyimpanan.

- **Ease of Installation & Scalability**

Mudah dipasang dan fleksibel untuk pengembangan sistem sesuai kebutuhan.

- **Easy Maintenance**

Penggantian filter dilakukan dengan mudah dan terjadwal.






Spesifikasi Drinking Machine H05

|                     |                                                                                                                                                                                                                                                                                                                    |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model               | H05                                                                                                                                                                                                                                                                                                                |
| Purification System | Option 1 – RO system (150 GPD):<br>PP sediment filter ,Carbon block filter, Reverse osmosis membrane, Post carbon filter<br>Option 2 – UF system:<br>PP sediment filter, Carbon block filter, Ultrafiltration membrane, Post carbon filter<br>All filters use quick-fit bayonet system with filter change reminder |
| Pure Water Tank     | 6 Liter                                                                                                                                                                                                                                                                                                            |
| Hot Water Tank      | Capacity: 1.8 Liter , Temperature: 93–95 °C                                                                                                                                                                                                                                                                        |
| Cold Water Tank     | Capacity: 4 Liter , Temperature: 3–5 °C Cooling system: High-power compressor                                                                                                                                                                                                                                      |
| Feed Water Options  | Direct municipal water connection , Bottom-loaded 5 gallon bottle (no plumbing required)                                                                                                                                                                                                                           |
| Control System      | Touch control panel with LED working status indicator                                                                                                                                                                                                                                                              |
| Product Dimensions  | 428 × 388 × 1400 mm                                                                                                                                                                                                                                                                                                |
| Feed Water Options  | Direct connection to municipal water<br>Bottom-loaded 5 gallon bottle (no plumbing required)                                                                                                                                                                                                                       |
| UV Sterilization    | Buried LED UV inside pure water tank to eliminate bacteria                                                                                                                                                                                                                                                         |
| Door Design         | Magnetic door, easy to operate                                                                                                                                                                                                                                                                                     |

COMPACT SYSTEM  
RESIDENTIAL WATER FILTRATION



Fitur Utama :



**Three Temperature Water Output**  
Menyediakan air panas, dingin, dan suhu normal untuk kebutuhan minum harian.



**Elegant & Functional Design**  
Simple and modern



**Metal Coating & Plastic Body**  
Lapisan metal coating dan plastik kuat



NIAGARA DRINKING MACHINE  
H05